

## EDITORIAL BOARD

**I.V. SAVCHENKO** (Moscow, Russia) — Chairman (plant biology)

- |  |   |
|--|---|
| <b>BESPALOVA L.A.</b> (Krasnodar, Russia)                  | <b>LITVINOV S.S.</b> (Moscow, Russia)                 |
| <b>DRAGAVTSEV V.A.</b> (St. Petersburg, Russia)            | <b>LUGTENBERG E.J.J.</b> (Leiden,<br>The Netherlands) |
| <b>DZYUBENKO N.I.</b> (St. Petersburg, Russia)             | <b>LUKOMETS V.M.</b> (Krasnodar, Russia)              |
| <b>FEDOROVA L.M.</b> (editor-in-chief)<br>(Moscow, Russia) | <b>PIVOVAROV V.F.</b> (Moscow, Russia)                |
| <b>GONCHARENKO A.A.</b> (Moscow, Russia)                   | <b>SANDUKHADZE B.I.</b> (Moscow, Russia)              |
| <b>GORBACHEV I.V.</b> (Moscow, Russia)                     | <b>SEDOV E.N.</b> (Orel, Russia)                      |
| <b>KHARITONOV E.M.</b> (Krasnodar, Russia)                 | <b>SHABALA S.</b> (Tasmania, Australia)               |
| <b>KHOTYLEVA L.V.</b> (Minsk, Belorussia)                  | <b>TIGERSTEDT P.M.A.</b> (Esbo, Finland)              |
| <b>KORPELA T.</b> (Turku, Finland)                         | <b>TIKHONOVICH I.A.</b> (St. Petersburg, Russia)      |

**Covered in** Scopus, Web of Science (BIOSIS Previews, Biological Abstracts, Russian Science Citation Index), Agris

**Science editors:** E.V. Karaseva, L.M. Fedorova

**Publisher:** Agricultural Biology Editorial Office NPO

**Address:** build. 16/1, office 36, pr. Polesskii, Moscow, 125367 Russia

**Tel:** + 7 (916) 027-09-12

**E-mail:** felami@mail.ru, elein-k@yandex.ru **Internet:** <http://www.agrobiology.ru>



**For citation:** Agricultural Biology,

Сельскохозяйственная биология, Sel'skokhozyaistvennaya biologiya

ISSN 0131-6397 (Russian ed. Print)

ISSN 2313-4836 (Russian ed. Online)

ISSN 2412-0324 (English ed. Online)

© Agricultural Biology Editorial Office (Редакция журнала

«Сельскохозяйственная биология»), 2018

## CONTENTS

### FUTURE AGRICULTURE SYSTEMS

Tsyganova A.V., Tsyganov V.E. Negative hormonal regulation of symbiotic nodule development. II. Salicilic, jasmonic and abscisic acids (review) . . . . .	3
Puzanskiy R.K., Yemelyanov V.V., Shishova M.F. Metabolomics as a modern approach for the investigation of potato plant adaptation to biotic and abiotic stress factors (review)	15
Sidorova T.M., Asaturova A.M., Homyak A.I. Biologically active metabolites of <i>Bacillus subtilis</i> and their role in the control of phytopathogenic microorganisms (review) . . . . .	29

### AGROBIOLOGY OF GRAIN CROPS

Panova G.G., Kanash E.V., Semenov K.N. et al. Fullerene derivatives influence production process, growth and resistance to oxidative stress in barley and wheat plants . . . . .	38
Shamanin V.P., Shepelev S.S., Pozherukova V.E. et al. QTL mapping in hexaploid soft wheat ( <i>Triticum aestivum</i> L.) in West Siberian Plain . . . . .	50
Kanash E.V., Litvinovich A.V., Kovleva A.O. et al. Grain production and optical characteristics in three wheat ( <i>Triticum aestivum</i> L.) varieties under liming and nitrogen fertilization . . . . .	61
Kolesnikov L.E., Burova O.I., Kolesnikova Yu.R. et al. The mass spectral analysis of some chemical elements' content in the flag leaves of wheat ( <i>Triticum aestivum</i> L.) isogenic lines with different resistance to brown rust . . . . .	72
Gulyaeva E.I., Shaydayuk E.L., Shamanin V.P. et al. Genetic structure of Russian and Kazakhstani leaf rust causative agent <i>Puccinia triticina</i> Erikss. populations as assessed by virulence profiles and SSR markers . . . . .	85
Trenozhnikova L.P., Balgimbaeva A.S., Ultanbekova G.D. et al. Antifungal activity against pathogens of cereals and characterization of antibiotics of <i>Streptomyces</i> sp. strain K-541 isolated from extreme ecosystems in Kazakhstan . . . . .	96
Syzdykova G.T., Sereda S.G., Malitskaya N.V. Selection of spring soft wheat ( <i>Triticum aestivum</i> L.) varieties for the adaptability in the conditions of steppe zone of the Akmolinsk Region, Kazakhstan . . . . .	103

### POTATO FARMING — SCIENCE AND TECHNOLOGIES

Statsyuk N.V., Kuznetsova M.A. Methods of laboratory assessment of potato cultivars for resistance to bacterial blackleg and tuber soft rot (review) . . . . .	111
Ignatov A.N., Lazarev A.M., Panycheva J.S. et al. Potato phytopatogens of genus <i>Dickeya</i> — a mini review of systematics and etiology of diseases . . . . .	123
Slugina M.A., Shmelkova E.O., Meleshin A.A. et al. Allele diversity for acid vacuolar invertase gene <i>Pain-1</i> fragment in potato ( <i>Solanum tuberosum</i> L.) varieties and lines . . . . .	132
Belyakova N.A., Polikarpova Yu.B. Lady beetles for biocontrol of aphids, the vectors of viruses, on seed potato plants in greenhouses . . . . .	140

### GENETIC AND PHYSIOLOGICAL FOUNDATIONS OF BREEDING

Dragavtsev V.A., Dragavtseva I.A., Efimova I.I. et al. To the experimental confirmation of the hypothesis about an eco-genetic nature of the phenomenon genotype × environment interaction for woody plants . . . . .	151
Artemyeva A.M., Ignatov A.N., Volkova A.I. et al. Physiological and genetic components of black rot resistance in double haploid lines of <i>Brassica rapa</i> L. . . . .	157
Suprun I.I., Nasonov A.I., Tokmakov S.V. et al. Application of SSR markers for study of genetic diversity of <i>Venturia inaequalis</i> in the different types of orchards in the North Caucasian region . . . . .	170
Putina O.V., Bobkov S.V., Vishnyakova M.A. Seed carbohydrate composition and its relation to another breeding important traits of garden pea ( <i>Pisum sativum</i> L.) in Krasnodar region . . . . .	179

### BIOENGINEERING, BIOTECHNOLOGY

Leppyanen I.V., Dolgikh V.V., Artamonova T.O. et al. Production of terminally N-deacetylated oligomers of chitosane using recombinant chitooligosacharide deacetylase NodB of bacteria <i>Mesorhizobium loti</i> expressed in <i>Escherichia coli</i> . . . . .	189
Ermolova V.P., Grishechkina S.D., Nizhnikov A.A. Activity of insecticidal <i>Bacillus thuringiensis</i> var. <i>israelensis</i> strains stored by various methods . . . . .	201
Minzanova S.T., Mironov V.F., Belostotskii D.E. et al. Materials derived from <i>Amaranthus cruentus</i> L. used as co-substrates can intensify methanogenesis during bioconversion of organic waste . . . . .	209