

## Техника и технологии

## Engineering &amp; Technologies

## Редакционный совет

академик РАН Е.А.Ваганов  
 академик РАН И.И.Гительзон  
 академик РАН А.Г.Дегерменджи  
 академик РАН В.Ф.Шабанов  
 чл.-к. РАН, д-р физ.-мат. наук  
 В.Л.Миронов  
 чл.-к. РАН, д-р техн. наук  
 Г.Л.Пашков  
 чл.-к. РАН, д-р физ.-мат. наук  
 В.В.Шайдуров  
 член-корр. РАН, д-р физ.-мат. наук  
 В.В.Зуев

## Editorial Advisory Board

*Chairman:*  
 Eugene A. Vaganov

*Members:*

Josef J. Gitelzon  
 Vasily F. Shabanov  
 Andrey G. Degermendzhy  
 Valery L. Mironov  
 Gennady L. Pashkov  
 Vladimir V. Shaidurov  
 Vladimir V. Zuev

## Editorial Board:

*Editor-in-Chief:*  
 Mikhail I. Gladyshev

*Founding Editor:*  
 Vladimir I. Kolmakov

*Managing Editor:*  
 Olga F. Alexandrova

**Executive Editor for Engineering & Technologies:**  
 Vladimir A. Kulagin

## CONTENTS / СОДЕРЖАНИЕ

Robert Möckel, Jens Götze, Sergey A. Sergeev,

Igor N. Kapitonov, Elena V. Adamskaya,

Nikolay A. Goltsin and Torsten Vennemann

Trace-Element Analysis by Laser Ablation Inductively Coupled Plasma Mass Spectrometry (LA-ICP-MS): a Case Study for Agates from Nowy Kościół, Poland

— 3 —

Sergey B. Sidelnikov, Vladimir N. Baranov,

Ekaterina S. Lopatina and Leonid P. Trifonenkov

Study of Effect of Nickel and Rare-Earth Metals on the Structure and Properties of Cast and Deformed Semi-Finished Products Made of Aluminum Alloys

— 19 —

Viktor N. Timofeev, Alexander I. Korchagin,

Evgeniy A. Pavlov and Nikolay V. Timofeev

Control of Convective Flows in Liquid Metal in Fluenced by Electromagnetic Forces

— 28 —

Ivan V. Shulgin,

Aleksey A. Gerasimenko and Zhou Su Quan

Stochastic Simulation of Covariance Matrix and Power Load Curves in Electric Distribution Networks

— 39 —

В.А. Кулагин, Т.А. Пьяных

Исследование кавитационных течений средствами математического моделирования

— 57 —

Редактор И.А. Вейсиг Корректор Т.Е. Баstryгина

Компьютерная верстка Е.В. Гречевой

Подписано в печать 20.02.2012 г. Формат 84x108/16. Усл. печ. л. 9,8  
 уч.-изд. л. 9,3. Бумага тип. Печать офсетная. Тираж 1000 экз. Заказ 7868.  
 Отпечатано в ПЦ БИК СФУ. 660041 Красноярск, пр. Свободный, 82а.

**Editorial board for Engineering & Technologies:**  
 Vladimir A. Kulagin  
 Yury D. Alashkevich  
 Viktor G. Anopchenko  
 S. T. Batmunkh  
 Yury B. Galerkin  
 Gennadiy I. Gritsko  
 Georg Guggenberger  
 Carsten Drebenstedt  
 Lev V. Endjievsky  
 Sergey V. Kaverzin  
 Feng-Chen Li  
 Vladimir A. Makarov  
 Alexander V. Mineev  
 Vladimir V. Moskvichev  
 Bernard Nacke  
 Oleksandr F. Nemchin  
 Valeriy A. Nikulin  
 Oleg Ostrovski  
 Harald A. Oye  
 Vasiliy I. Pantaleev  
 Sergey P. Pan'ko  
 Peter V. Polyakov  
 Anatoli M. Sazonov  
 Viktor N. Timofeev  
 Ibragim Khisameev  
 Anatoly Z. Shvidenko  
 Galina A. Chiganova

**Igor A. Shimanskiy,  
 Vladimir G. Babkin, Vladimir K. Frizorger,  
 Alexander S. Samoylo and Alexey B. Nabiulin**  
**Influence of Initial Components Mechanical Activation on the Properties of Protective Enamel Coating on the Cast-Iron Surface**

— 63 —

**Olga M. Sharonova, Natalia A. Oreshkina,  
 Larisa I. Kurteeva and Alexandre G. Anshits**  
**Aerodynamic Separation of Fly Ashes of Selective Sampling from Pulverized Combustion of Coals of Different Ranks**

— 72 —

**Irina Yu. Botvich, Alexander F. Sidko,  
 Tamara I. Pisman and Anatoly P. Shevyrnogov**  
**Determination of Chlorophyll Photosynthetic Potential in Vegetation Using Ground-Based and Satellite Methods**

— 87 —

**Vladimir A. Kodnyanko**  
**Static Characteristics of Active Hydrostatic Two-Row Radial Bearing with Restriction of Output Lubricant Flow**

— 98 —

**Vladimir O. Andreev, Sergey E. Tinykov,  
 Oksana P. Ovchinnikova and Gennady P. Parahin**  
**Extreme Value Theory and Peaks Over Threshold Model in the Russian Stock Market**

— 111 —

*Свидетельство о регистрации СМИ  
 ПИ № ФС77-28-722 от 29.06.2007 г.*

**Серия включена в «Перечень ведущих рецензируемых научных журналов и изданий, в которых должны быть опубликованы основные научные результаты диссертации на соискание ученой степени доктора и кандидата наук» (редакция 2010 г.)**

УДК 621.315.592

# Trace-Element Analysis by Laser Ablation Inductively Coupled Plasma Mass Spectrometry (LA-ICP-MS): a Case Study for Agates from Nowy Kościół, Poland

Robert Möckel<sup>a</sup>,

Jens Götze<sup>a</sup>, Sergey A. Sergeev<sup>b\*</sup>,

Igor N. Kapitonov<sup>b</sup>, Elena V. Adamskaya<sup>b</sup>,

Nikolay A. Goltsin<sup>b</sup> and Torsten Vennemann<sup>c</sup>

<sup>a</sup> TU Bergakademie Freiberg, Institute of Mineralogy,  
14 Brennhausgasse, D-09596 Freiberg, Germany

<sup>b</sup> A.P. Karpinsky All Russian  
Geological Research Institute (VSEGEI),  
74 Sredny Prospekt, St.-Petersburg 199106, Russia

<sup>c</sup> Institut de Minéralogie et Géochimie,  
Université de Lausanne,  
UNIL-BFSH2, CH-1015 Lausanne, Switzerland<sup>1</sup>

Received 6.02.2012, received in revised form 13.02.2012, accepted 20.02.2012

*Laser ablation inductively coupled plasma mass spectrometry (LA-ICP-MS) was applied to detect trace elements in agate from Permian volcanics (Nowy Kościół, Poland) in low concentrations and with high spatial resolution. The used LA-ICP-MS system consists of a DUV 193 laser ablation system linked to a Thermo Finnigan Element 2 mass spectrometer. The use of a 193 nm ArF excimer laser (50-200 mJ energy output) and the standards NIST 611 and NIST 612 enables to produce and analyse small crater diameters down to 5 µm.*

*Trace-element profiles have been analyzed for the elements Ti, Ge, Al, Fe, Mn, U, Th, Ba, Sr, Rb, Cs, and Y in the ppm- and sub-ppm level. The concentrations of the REE are sometimes below the detection limit of the method. Almost all elements (except Cu) display higher contents in chalcedony than in the macrocrystalline quartz. Fe, for instance, shows a 100 times higher concentration in agate bands compared to quartz, which may be due to finely distributed iron oxide particles in the chalcedony which probably act as colour pigments.*

*The trace elements in agate are released simultaneously with Si during alteration of the surrounding volcanic rocks. Oxygen isotope data indicate that silica accumulation and agate formation took place at temperatures below 120°C. The characteristic trace-element distribution patterns in agate result from a “self-purification” process during crystallization of chalcedony and quartz from a silica gel.*

\* Corresponding author E-mail address: vsegei@vsegei.sp.ru

<sup>1</sup> © Siberian Federal University. All rights reserved