

UDC 621.375.087.9:681.515/516 (075.8)
Z 62

Reviewers:

Dr. of Technical Sciences, Prof. *G.A. Frantsuzova*,
Novosibirsk State Technical University, Novosibirsk, Russia

Dr. of Physics and Mathematical Sciences, Corresponding member of RAN,
Prof. *A.V. Taichenachev*, Institute of Laser Physics, Novosibirsk, Russia

Zhmud Vadim A.

Z 62 Numerical Optimization of Regulators for Automatic Control System: Textbook for higher education / Vadim A. Zhmud, Lubomir V. Dimitrov, Jaroslav Nosek. – Novosibirsk: NSTU Publisher, 2019. – 296 p.

ISBN 978-5-7782-3802-2

The book is intended for students and PhD students in the field of automatics, mechatronics, robotics, digital or analog feedback control. Particularly, in NSTU (Novosibirsk, Russia) it is intended for the students enrolled in the educational field 27.03.04 “Control in Technical Systems” in the course “Computer-aided design tools and control systems” (for Bachelors in their 4th year). It includes training materials and guidelines for self-assessment (questions for self-testing).

The basic knowledge of previously studied mathematical disciplines is required for successful study of this course.

The book is prepared due to the financial support from the European Foundation Erasmus+, projects KA-107A and SmartCity.

UDC 621.375.087.9:681.515/516 (075.8)

ISBN 978-5-7782-3802-2

© Vadim A. Zhmud, Lubomir V. Dimitrov,
Jaroslav Nosek, 2019

© Novosibirsk State Technical University, 2019

Content

Introductory words.....	7
1. Introduction	8
1.1. The subject of study: locked dynamical control systems.....	8
1.2. Feature of ACS: negative feedback.....	10
1.3. The task of regulator calculation.....	15
1.4. Questions for self-control.....	18
2. Terminology and mathematical tools of TAC	20
2.1. Basic requirements and mathematical tools for the system.....	20
2.2. Requirements for the possibility of the physical realization of the model.....	22
2.3. The choice of the regulator structure	24
2.4. Regulator with fixed coefficients.....	25
2.5. Regulators with a non-integer integration and differentiation	27
2.6. Classification of developing direction of methods of the designing of ACS.....	28
2.7. Adaptive and self-tuning regulators	30
2.8. Adaptive regulators and prospects of this approach.....	31
2.9. Self-tuning regulators.....	34
2.10. Robust regulators	35
2.11. Advantages of digital regulators	40
2.12. The two kind of tasks of regulator numerical optimization	42
2.13. Objectives and tasks for the further research	43
3. Visual simulation of unlocked stuctutres	45
3.1. The window of the software VisSim.....	45
3.2. Start of the working in the software.....	49
3.3. Tuning of the parameters of the simulation and optimization.....	51
3.4. Choice of the time sampling step.....	54

3.5. Choice of the integrating method.....	56
3.6. Tuning of the parameters of simulation and optimization.....	60
3.7. Simulation of the response of the linear link.....	61
3.8. Simulation of the response of non-linear links.....	64
4. Visual simulation of the locked structures.....	66
4.1. Simulation of the locked linear system.....	66
4.2. The differences between theoretical analysis, simulation and practical results.....	73
5. Statement of the task of optimization of locked structures and tools for its resolving.....	76
5.1. Demands to the locked loops of the model for simulation.....	76
5.1.1. Demands for the possibility of simulation.....	76
5.1.2. Demands to the feedback loop from the point of view of the adequacy of the regulators to their tasks.....	77
5.1.3. Demands to the cost function.....	81
5.1.3. Additional demands to the locked systems.....	83
5.2. Structure for the regulator optimization.....	84
5.3. Tools of the cost functions.....	86
5.4. An example of the system quality analysis based on the cost function.....	91
5.5. Grounds for choosing of weight coefficients in complex cost functions.....	93
6. Numerical optimization of the locked structures.....	96
6.1. Procedure for the automatic optimization of regulators.....	96
6.2. Fixing of the coefficients.....	104
6.3. Optimization of the ensemble of systems for the robust control.....	105
6.4. The validity of the model for optimizing of the regulator.....	108
6.5. Forced limitation of the regulator coefficients.....	111
6.6. Forced limitation of the frequency range of the model used in optimizing of the regulator.....	114
7. Dividing of the motion: the use of multiple drives (MISO).....	117
7.1. Justification for an excessive number of the influencing actions on the object.....	117
7.2. Combining of the advantages of the different drives.....	117
8. Dividing of motions: using of multiple sensors (SIMO).....	126
8.1. Combining of the advantages of the different sensors.....	126
8.2. Simultaneous combining of the advantages of the different sensors and different drives.....	133

9. Modification of the cost functions	133
9.1. Providing of the power saving	134
9.2. The detector of the error growth	139
9.3. Optimization with the use of etalon transient response	142
10. New structures for single channel objects (SISO)	147
10.1. Robust power saving two-channel regulator with single output	148
10.2. Robust power saving two-channel regulator with single output object, prone to oscillations	154
10.3. Regulator with separation of “right” and “wrong” movements	158
10.4. The use of bypass channel for feedback control of an oscillating object	164
11. Feedback systems with pseudo local loops	172
11.1. About local and pseudo local loops	172
11.2. The control of objects with two integrators	173
11.3. The control of objects with two integrators and non-linear positive feedback	175
11.4. The control of objects with three integrators and non-linear positive feedback	178
12. Design of a piecewise adaptive regulator	189
12.1. Robust system as a prototype of the adaptive system	189
12.2. An example of splitting a set of object parameters into subsets	191
12.3. Identifying the belonging of the object model to a given subset	192
13. Optimization of the regulator for multichannel objects (MIMO)	194
13.1. The task of control of multichannel object	194
13.2. The statement of the problem and the solvability conditions	197
13.3. Methods for solving the problem	199
13.4. The efficiency of the completeness of a PID-regulator when control- ling a multi-channel object	200
13.5. The idea of Smith multichannel predictor	209
13.6. Numerical optimization of the regulator for an object of dimension 3×3	232
14. Investigation of the numerical optimization toolkit for control of an oscillatory unstable object	252
14.1. Statement of the problem	253
14.2. Methods for solving the problem, theory and practical results	254
14.2.1. Optimizing the PID-regulator	254

14.2.2. The optimization of PID-regulator	256
14.2.3. Bypass channel application	257
14.2.4. Using pseudo-local links and an open object model.....	259
14.2.5. The danger of obtaining non-robust solution.....	265
14.3. The proposed modification of the known methods	267
14.4. Discussion	271
14.5. Conclusions for the chapter.....	272
15. Practical research and laboratory works in the field of feedback control in technical universities of Liberec and Sofia	272
16. Questions for control at exams	284
Conclusion	287
Acknowledgments	288
References.....	289
Appendix.....	293